



U.S. Department of Labor
Occupational Safety & Health Administration

www.osha.gov



Search [GO](#) [Advanced Search](#) | [A](#)

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



<p><i>IDENTITY (As Used on Label and List)</i></p> <p>FIRE TAPE FOR GYPSUM WALLBOARD</p>	<p>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</p>
--	--

Section I

<p>Manufacturer's Name E Z TAPING SYSTEM, INC.</p>	<p>Emergency Telephone Number 920-429-9274</p>
<p>Address (Number, Street, City, State, and ZIP Code)</p>	<p>Telephone Number for Information 920-429-9274</p>
<p>808 PACKERLAND DRIVE</p>	<p>Date Prepared JANUARY 2, 2008</p>
<p>GREEN BAY, WI 54303</p>	<p>Signature of Preparer (optional) <i>[Signature]</i></p>

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
N/A				

Section III - Physical/Chemical Characteristics

Boiling Point	212 F	Specific Gravity (H ₂ O = 1)	1.0-1.2
Vapor Pressure (mm Hg)	17MM EG	Melting Point	46-48%
Vapor Density (AIR = 1) LESS THAN 1		Evaporation Rate (Butyl Acetate = 1) LESS THAN 1	
Solubility in Water DILUTABLE			
Appearance and Odor MILKY WHITE AMMONIA			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) NON-COMBUSTIBLE	Flammable Limits	LEL	UEL
Extinguishing Media FOAM FOG, CO2, WATER OR DRY CHEMICALS			
Special Fire Fighting Procedures N/A			
Unusual Fire and Explosion Hazards ADHESIVE CAN SPLATTER			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid AVOID TEMP ABOVE 350F
	Stable	X	ONSET OF POLYMER DECOMPOSITION
Incompatibility (<i>Materials to Avoid</i>)			
Hazardous Decomposition or Byproducts TERMINAL DECOMPOSITION MAY YIELD ACRYLIC MONOMER			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
Health Hazards (<i>Acute and Chronic</i>)			
WASH WITH SOAP AND WATER IF NECESSARY			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure			
Medical Conditions Generally Aggravated by Exposure			
Emergency and First Aid Procedures			

Section VII - Precautions for Safe Handling and Use

--

Steps to Be Taken in Case Material is Released or Spilled
N/A
Waste Disposal Method
SOLID WASTE LANDFILL OR INCINERATOR
Precautions to Be taken in Handling and Storing
Other Precautions

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>)		
NOT NEEDED UNDER NORMAL CONDITIONS		
Ventilation N/A	Local Exhaust	Special
	Mechanical (<i>General</i>)	Other
Protective Gloves USE GLOVES IF NECESSARY	Eye Protection NONE REQUIRED	
Other Protective Clothing or Equipment		
Work/Hygienic Practices		

* U.S.G.P.O.: 1986 - 491 - 529/45775

 [Back to Top](#)

www.osha.gov

[Contact Us](#) | [Freedom of Information Act](#) | [Customer Survey](#)
[Privacy and Security Statement](#) | [Disclaimers](#)
